

Pipette tips and filter tips

The tip system for perfect pipetting results

BRAND. For lab. For life.®

- + Cleanroom quality for contamination-free work
- + Perfect fit for the Transferpette® micropipette and many other pipettes
- + Environmentally-friendly refilling system





Get to know the BRAND tip system

BRAND pipette tips and filter tips contribute to efficient pipetting and precise analysis in the laboratory. With "Made in Germany" quality, they are a perfect fit for high-quality micropipettes, such as the Transferpette® S. We offer a comprehensive tip system: from $0.1-20~\mu l$ for molecular-biological applications, to 1-10~m l for analytical applications. In addition to pipette tips, the tip system also includes filter tips up to 1,250 μl with an ultra-clean PE filter. An example application that uses this system are PCR and microbiological applications.

Compatibility

Tips attach easily to the pipette and fit firmly and securely on the tip cone. The firm fit is crucial for preventing leaks and volume errors when pipetting.

You will achieve optimal results with the Transferpette® *S* and Transferpette® electronic. The compatibility of the BRAND tips has been tested against pipettes from other manufacturers – see page 10 for more information.

Cleanroom quality

For life science applications, tips and filter tips provide reliable cleanroom quality up to 1,250 μ l. They are manufactured under cleanroom conditions in accordance with ISO 14644-1, Class 7 and 8.

BRAND has one of the largest cleanrooms in the laboratory industry, with continuous monitoring of the cleanroom conditions. Fully automated systems prevent hand contact in production.

Due to cleanroom production and automation, we guarantee that palletized tips and filter tips up to 1,250 μ l are free of DNA, DNAse, RNase, endotoxins and ATP. In cooperation with renowned and accredited testing laboratories, these properties are continuously monitored and documented by intensive molecular biological tests.

Material quality

BRAND quality also means using high-quality, pure raw materials. BRAND manufactures its pipette and filter tips using only raw materials that are free of the additives di(2 hydroxyethyl)



methyl-dodecylammonium (DiHEMDA) and 9-octadecenamid (oleamide). Both of these additives, which are often found in PP granulates, can interfere with biological tests and lead to false results.

BRAND also ensures that the raw materials used for life science products contain a minimum amount of leachables, which could also influence biological tests. Mold release agents such as stearates and erucamide are not used in the production process.

Environmental compatibility

Environmental protection and sustainability play an important role in our tips. They are made in an extremely thin-walled design, which saves on material. Our TipBoxes are made of 100 % PP and can be completely recycled with ease. With the TipRack refilling system, the amount of waste is reduced by more than 20 % compared with the TipBox. With the packaging variants TipBox, bulk tips in a bag and the environmentally-friendly refilling system TipRack, you will find the economical and efficient solution for your needs.

Quality levels

Life Science-Consumables from BRAND meet the highest quality standards and offer quality levels dedicated to the application.

All products with the quality level CERTIFIED LIFE SCIENCE QUALITY or the BIO-CERT® quality labels are made of high-quality, virgin raw materials and are continuously tested for quality and function.

In addition to the general BIO-CERT® CERTIFIED QUALITY label, special quality levels for PCR, cell culture and liquid handling are available. This means you can quickly and easily find the optimal BIO-CERT® products for your application. The table in the lower part of the page gives you an overview.

Bulk tips have CERTIFIED LIFE SCIENCE QUALITY, palletized tips have BIO-CERT LIQUID HANDLING QUALITY and can be sterile or non-sterile.






BIO-CERT ® Find the right quality level for your application **CERTIFIED LIFE BIO-CERT® CELL** BIO-CERT® BIO-CERT® **BIO-CERT® LIQUID** SCIENCE QUALITY **CERTIFIED QUALITY CULTURE QUALITY PCR QUALITY** HANDLING QUALITY Virgin raw materials Manufactured under controlled room conditions Intensive in-process controls V 1 Visual inspections Batch management Final product inspection 1 Proven functionality Free of human DNA Free of RNase Free of DNase Free of Pyrogens Non cytotoxic 1 Free of PCR-Inhibitiors Free of ATP

At a glance: Pipette tips and Filter tips

Selecting the right consumables when working with pipettes is critical to working efficiently and having reliable results. With pipette tips and filter tips from BRAND, you are choosing

a quality product that allows you to take full advantage of the technical possibilities of high-quality micropipettes.





2 – 200 μl pipette tips in a microcentrifuge tube



50 – 1000 μl pipette tips in a deep-well plate



0.5 – 20 μl pipette tips in PCR tubes



0.5 – 10 μl filter tips in PCR plate


Packaging formats efficient and sustainable work

To guarantee the highest quality of the products – from production to packaging to the laboratory – BRAND has optimized the packaging formats to meet the requirements. Even the primary packaging of systems, such as the PET outer packaging of the TipRack (refill units), are produced under cleanroom conditions and guarantee that the products are ultra-clean.

Our bulk packed pipette and filter tips as well as the 5 and 10 ml tips have the CERTIFIED LIFE SCIENCE QUALITY. All palletized pipette tips and filter tips up to 1000 μ l meet the quality level BIO-CERT® LIQUID HANDLING QUALITY.









Bag (bulk tips)



TipRack refilling system (palletized tips)



TipBox (10 ml)



TipBox 1250 μ l with support frame

Pipette tips

Pipette tips, 0.1 – 20 μl

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
CERTIFIED PERSONNEL	bulk	2000	2 bags, 1000 each	732002	-
QUALITY	bulk XXL	10000	10 bags, 1000 each	732022	-
OUALITY OUALITY	TipRack	960	10 TipRacks, 96 each	732102	732122
	TipBox	480	5 boxes, 96 each	732202	-
	TipBox sterile	960	10 boxes, 96 each	-	732222

Pipette tips, $0.5 - 20 \mu l$



	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
OUALITY OUALITY	bulk	2000	2 bags, 1000 each	732004	-
	bulk XXL	10000	10 bags, 1000 each	732024	-
WANOZIE	TipRack	960	10 TipRacks, 96 each	732104	732124
	TipBox	480	5 boxes, 96 each	732204	-
PUALIT	TipBox sterile	960	10 boxes, 96 each	-	732224

Pipette tips, 1 – 50 μl



	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
et Prilities	bulk	2000	2 bags, 1000 each	732006	-
PUALIT	bulk XXL	10000	10 bags, 1000 each	732026	-
MANDE	TipRack	960	10 TipRacks, 96 each	732106	732126
BIO CERT	TipBox	480	5 boxes, 96 each	732206	-
QUALITY	TipBox sterile	960	10 boxes, 96 each	-	732226

 $\textbf{Pipette tips, 2-200}~\mu l~~\text{(bulk tips are yellow colored)}$



	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
CHATIFIED STREET	bulk	1000	1 bag, 1000 each	732008	-
QUALIT	bulk XXL	10000	10 bags, 1000 each	732028	-
OHANDII	TipRack	960	10 TipRacks, 96 each	732108	732128
BIO CERT	TipBox	480	5 boxes, 96 each	732208	-
QUALITY	TipBox sterile	960	10 boxes, 96 each	-	732228

TipBox, with tip tray, empty



	Model	Quantity	Cat. No.
	up to 50 μl	1	732990
ATTER OF THE PERSON OF THE PER	for 200 μl	1	732992
or sound	for 300 μl	1	732994
QUALITY	for 1000 μl	1	732996
	for 1250 μl	1	732997



Support frame for TipBox 1250 μl

Model	Quantity	Cat. No.
for 1250 μl	1	732988

Pipette tips, $5 - 300 \mu l$

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
datifies	bulk	1000	1 bag, 1000 each	732010	-
QUALITY	bulk XXL	10 000	10 bags, 1000 each	732030	-
MANDE	TipRack	960	10 TipRacks, 96 each	732110	732130
NOCERT	TipBox	480	5 boxes, 96 each	732210	-
OUALIT	TipBox sterile	960	10 boxes, 96 each	-	732230

Pipette tips, 50 – 1000 μl

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
CERTIFIED	bulk	1000	2 bags, 500 each	732012	-
PUALIT	bulk XXL	5 0 0 0	10 bags, 500 each	732032	-
HANOL	TipRack	960	10 TipRacks, 96 each	732112	732132
BIOCERTY	TipBox	480	5 boxes, 96 each	732212	-
QUALITY	TipBox sterile	960	10 boxes, 96 each	-	732232

Pipette tips, $50 - 1250 \mu l$, Length $86 \ mm$

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
CHATIFIED	bulk	1000	2 bags, 500 each	732014	-
QUALIT	bulk XXL	3000	6 bags, 500 each	732034	-
MANOLITA	TipRack	480	5 TipRacks, 96 each	732114	732134
QUALIT	TipBox	480	5 boxes, 96 each	732214	732234

Pipette tips, 50 – 1250 μl XL, Length 102 mm

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
CIATIFIED	bulk	1000	2 bags, 500 each	732016	-
QUALITY	bulk XXL	3 000	6 bags, 500 each	732036	-
NO CERTO	TipRack	480	5 TipRacks, 96 each	732116	732136
and the same	TinBox	480	5 hoxes 96 each	732217	732236

Pipette tips, 0.5 – 5 ml

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
STRIPLES OF TOTAL	bulk	200	1 bag, 200 each	702595	-
	bulk XXL	1000	5 bags, 200 each	702600	-
	TipRack	-	_	-	-
	TipBox 5 ml	28	1 box, 28 each	702605	_

Pipette tips, 1 – 10 ml

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterileCat. No.
	bulk	200	2 bags, 100 each	702603	-
CERTIFIED	bulk XXL	1000	10 bags, 100 each	702604	-
OU ALLIS	TipRack	-	-	-	-
	TipBox 10 ml	18	1 box, 18 each	702608	-















Filter tips

BRAND filter tips feature a PE filter, which is free from chemical additives. Permeability is controlled by the combination of pore size and filter length, so that no aerosols can reach the pipette shaft. In addition, it also prevents sample contamination.

Tips for PCR and qPCR

Normally, the samples used in PCR, as well as the PCR tubes, strips and plates, are not sterile; therefore, PCR and RT-PCR applications generally also use non-sterile tips and filter tips. For other applications that require sterile tips, BRAND provides certified BIO-CERT® quality.



Filter tips, 0.1 – 1 μl



	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
MANDE	TipRack	960	10 TipRacks, 96 each	732602	732622
BID CERTY PURCHASE	TipBox	480	5 boxes, 96 each	732702	_
QUALIT	TipBox sterile	960	10 boxes, 96 each	-	732722

Filter tips, $0.5 - 10 \mu l$



	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
G HANDLING	TipRack	960	10 TipRacks, 96 each	732604	732624
NO CERT S	TipBox	480	5 boxes, 96 each	732704	-
PUALITY	TipBox sterile	960	10 boxes, 96 each	-	732724

Filter tips, 1 - 20 µl



	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
WANDE	TipRack	960	10 TipRacks, 96 each	732606	732626
NO CERT	TipBox	480	5 boxes, 96 each	732706	-
PUALIT	TipBox sterile	960	10 boxes, 96 each	-	732726



Filter tips, $2 - 20 \mu l$

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.		
HAND	TipRack 960 TipBox 480	10 TipRacks, 96 each	Seach 732608				
WO CERTY CO	TipBox		5 boxes, 96 each	732708	-		
PUALITY			10 boxes, 96 each	-	732728		



Filter tips, $5 - 100 \,\mu l$

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.	
IO HANDLIA	TipRack	960	10 TipRacks, 96 each	732610	732630	
POCERT	TipBox	480	5 boxes, 96 each	732710	_	
QUALITY	TipBox sterile	960	10 boxes, 96 each	-	732730	



Filter tips, $5 - 200 \mu l$

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.		
HANDE	TipRack 960 TipBox 480	10 TipRacks, 96 each	s, 96 each 732612				
BIO CERTO	TipBox	480	5 boxes, 96 each	732712	-		
QUALITY	TipBox sterile	960	10 boxes, 96 each	-	732732		



Filter tips, $50 - 1000 \; \mu l$

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
HANDL	TipRack	960	10 TipRacks, 96 each	732614	732634
WO CERTY OF PUBLISH	TipBox	480	5 boxes, 96 each	732714	-
QUALITY	TipBox 480 TipBox sterile 960		10 boxes, 96 each	-	732734



Filter tips, $50 - 1250 \mu l$, Length 86 mm

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
MOCERT	TipRack 480	480	10 TipRacks, 96 each	732616	732636
OUALITY OUALITY	TipBox	480	5 boxes, 96 each	732716	732736



Filter tips, 50 – 1250 μl XL, Length 102 mm

	Туре	Quantity	Pack of	non-sterile Cat. No.	sterile Cat. No.
O HANDING	TipRack	480	10 TipRacks, 96 each	732618	732638
NO CERTY SUBJECT	TipBox	480	5 boxes, 96 each	732718	732738





The right pipette tip for your Transferpette®

Optimal results are achieved in combination with the BRAND micropipettes. Quality tips from BRAND provide a perfect fit for precise analysis.

Pipette and filter tips from BRAND are tested for BRAND pipettes and for most pipette models from GILSON®, Thermo Fisher Scientific FINNPIPETTE®, Eppendorf®, and Sartorius®.

The 5 ml tip can be used with the pipette models from models from BRAND and Thermo Fisher Scientific FINNPIPETTE®. The 1250 µl and 10 ml tips are suitable for BRAND and Eppendorf®.

Note: Pipette shafts may be subject to modifications. Compatibility depends, among other things, on the manufacturer, pipette type, serial number, and manufacturing date.

We recommend using the free sample bag to check tip compatibility.



All information about the range of tip products can be found at **shop.brand.de**







Transferpette® \$\mathcal{S}\$

Transferpette® electronic

	Transferpette® single-channel Nominal volume										m	ansfe ulti-c mina	hanr	iel					
Pipette tip Filter tip Volume rar	s =	2,5 µl	10 µl	20 או	25 µl	50 µl	100 µl	200 µl	500 µl	1000 µl	2 ml	5 ml	10 ml	10 µl	אן 20	100 µl	200 או	300 µl	1250 μl
				0	•	•	•		•							0			
0.1 - 2	20 μl	√ ₂₎	√ ₂₎											1					
0.5 - 2	20 μl	1	1											1					
1 - 5	50 μl	√ ₂₎	1											1					
2 - 20)0 μl ¹⁾			1	1	1	1	1							1	1	✓	1	
5 - 30	00 μl			1	1	1	1	1							1	1	1	1	
50 - 100	00 μl ¹⁾								✓	1									
50 - 125	50 μl ³⁾									√ ₂₎									1
50 - 125	50 μl XL ³⁾									√ ₂₎									√ ₂₎
0.5 -	5 ml										1	1							
1 - 1	LO ml												1						
0.1 -	1 μl 🗸	√ ₂₎	√ ₂₎											1					
0.5 - 1	ι 0 μl	1	1											1					
1 - 2	20 μl		1											1					
2 - 2	20 μl			1	1	✓	1	1							1	1	✓		
5 - 10	00 μl			1	1	1	1	/							1	1	/	/	
5 - 20	00 μl							1							1	1	1	/	
50 - 100	00 μl								1	1									
50 - 125	50 μl ³⁾									√ ₂₎									✓
50 - 125	50 μl XL ³⁾									√ ₂₎									√ ₂₎

- ✓ = Tip volume less than pipette's nominal volume
 1) Bulk tips are yellow or blue colored; racked tips are colorless in a yellow-colored or blue-colored tip tray
 2) Calibration and possible adjustment needed
 3) 1250 µl = Length 86 mm, 1250 µl XL = Length 102 mm

BRAND. For lab. For life.®



BIO-CERT®, BRAND®, BRAND. For lab. For life.®, Transferpette®, as well as the BRAND figurative mark are registered trademarks or trademarks of BRAND GMBH + CO KG, Germany. All other trademarks mentioned or depicted here are the property of the respective owners.

Our technical literature is intended to inform and advise our customers. However, the validity of general empirical values, and of results obtained under test conditions, for specific applications depends on many factors beyond our control. Please appreciate, therefore, that no claims can be derived from our advice. The user is responsible for checking the appropriateness of the product for any particular application.

California Residents: For more information concerning California Proposition 65, please refer to www.brand.de/calprop65.

Subject to technical modification without notice. Errors excepted.



Find accessories and replacement parts, user manuals, test instructions (SOP) and product videos at shop.brand.de



Further information on products and applications can be found on our YouTube channel: mylabBRAND



Renewable enery

In our factory we use 100 % ecofriendly energy from certified hydroelectric power plants and energy generated on premise from our high efficiency cogeneration unit.



Sustainable packaging

We use cardboard with approx 90% recycled content for our product packaging.



Waste reduction

The amount of waste is reduced as follows compared to the products mentioned: TipRack compared to TipBox by more than 20%.

BRAND (Shanghai) Trading Co., Ltd. Shanghai, China

china.brand.com.cn

BRAND Scientific Equipment Pvt. Ltd. Mumbai, India

T+91 22 42957790 customersupport@brand.co.in www.brand.co.in

BrandTech® Scientific, Inc. Essex, CT. United States of America

T +1 860 767 2562 info@brandtech.com www.brandtech.com

